

Publications

Bachiller S, Roca-Ceballos MA, García-Domínguez I, Pérez-Villegas EM, Martos-Carmona D, Pérez-Castro MÁ, Real LM, Rosa JL, Tabares L, Venero JL, Armengol JÁ, Carrión ÁM, Ruiz R. HERC1 Ubiquitin Ligase Is Required for Normal Axonal Myelination in the Peripheral Nervous System. *Mol Neurobiol*. 2018 Mar 30. doi: 10.1007/s12035-018-1021-0. [Epub ahead of print]

Arumugam S, Garcera A, Soler RM, Tabares L. Smn-Deficiency Increases the Intrinsic Excitability of Motoneurons. *Front Cell Neurosci*. 2017 Sep 5;11:269. doi: 10.3389/fncel.2017.00269. eCollection 2017.

Bertone NI, Groisman AI, Mazzone GL, Cano R, Tabares L, Uchitel OD. Carbonic anhydrase inhibitor acetazolamide shifts synaptic vesicle recycling to a fast mode at the mouse neuromuscular junction. *Synapse*. 2017 Dec;71(12). doi: 10.1002/syn.22009. Epub 2017 Sep 21.

López-Ortega, E., Ruiz, R., Tabares L. CSPa, a molecular co-chaperone essential for short and long-term synaptic maintenance. *Frontiers in Neuroscience* 2017 doi:10.3389

Rizzoli SO, Tabares L. Editorial: Molecular Nanomachines of the Presynaptic Terminal. e-BOOK: *Front Synaptic Neurosci*. 2016 Aug 25;8:27. doi: 10.3389/fnsyn.2016.00027. eCollection 2016

Tejero R, Lopez-Manzaneda M, Arumugam S, Tabares L. Synaptotagmin-2, and -1, linked to neurotransmission impairment and vulnerability in Spinal Muscular Atrophy. *Hum Mol Genet*. 2016 Aug 29. pii: ddw297. [Epub ahead of print] PMID: 27577871

Cano, R, Tabares L. The Active and Periactive Zone Organization and the Functional Properties of Small and Large Synapses. *Front Synaptic Neurosci*. 2016 May 24;8:12. doi:10.3389/fnsyn.2016.00012. eCollection 2016.

Wu YJ, Tejero R, Arancillo M, Vardar G, Korotkova T, Kintscher M, Schmitz D, Ponomarenko A, Tabares L, Rosenmund C. Syntaxin 1B is important for mouse postnatal survival and proper synaptic function at the mouse neuromuscular junctions. *J Neurophysiol*. 2015 Jul 22;jn.00577.2015. doi: 10.1152/jn.00577.2015

Bachiller S, Rybkina T, Porras-García E, Pérez-Villegas E, Tabares L, Armengol JA, Carrión AM, Ruiz R. The HERC1 E3 Ubiquitin Ligase is essential for normal development and for neurotransmission at the mouse neuromuscular junction. *Cell Mol Life Sci*. 2015 Mar 8. [Epub ahead of print] PMID:25746226

Arnold AS, Gill J, Christe M, Ruiz R, McQuirk S, St-Pierre J, Tabares L, Handschin C. Morphological and functional remodeling of the neuromuscular junction by skeletal muscle PGC-1 α . *Nature Communications*. 2014 Apr 1;5:3569. doi: 10.1038/ncomms4569.

Ruiz R, Biea IA, Tabares L. α -Synuclein A30P decreases neurodegeneration and increases synaptic vesicle release probability in CSP α -null mice. *Neuropharmacology*. 2014 Jan;76 Pt A:106-17. doi: 10.1016/j.neuropharm.2013.08.032. Epub 2013 Sep 11.

Ruiz, R., Tabares, L. Neurotransmitter release in motor nerve terminals of a mouse model of mild spinal muscular atrophy. *J Anat*. 2013 Mar 13. doi: 10.1111/joa.12038. [Epub ahead of print]

Caraballo-Miralles, V., Cardona-Rossinyo, A., Garcera, A., Torres-Benito, A., Soler, R.M., Tabares, L., Lladó, J., Olmos, G. Notch Signaling Pathway Is Activated in Motoneurons of Spinal Muscular Atrophy. *Int. J. Mol. Sci*. 2013, 14(6), 11424-11437; doi:10.3390/ijms140611424

Krieger F, Elflein N, Ruiz R, Guerra J, Serrano AL, Asan E, Tabares L, Jablonka S. Fast motor axon loss in SMARD1 does not correspond to morphological and functional alterations of the NMJ. *Neurobiol Dis*. 2013 Jan 4. doi:pii: S0969-9961(12)00402-0. 10.1016/j.nbd.2012.12.010. [Epub ahead of print]

Ackermann B, Kröber S, Torres-Benito L, Borgmann A, Peters M, Hosseini Barkooie SM, Tejero R, Jakubik M, Schreml J, Milbradt J, Wunderlich TF, Riessland M, Tabares L, Wirth B. Plastin 3 ameliorates spinal muscular atrophy via delayed axon pruning and improves neuromuscular junction functionality. *Hum Mol Genet*. 2012 Dec 20. [Epub ahead of print PMID: 23263861 [PubMed - as supplied by publisher]

Cano, R, Torres-Benito, L, Tejero, R, Biea, A.I, Ruiz, R, Betz, WJ, Tabares L. (2012). Structural and Functional Maturation of Active Zones in Large Synapse. *Mol. Neurobiol*: 47(1): 209-219, 2013. doi:10.1007/s12035-012-8347-9

Cano, R, Ruiz, R, Shen, C, Tabares, L., Betz, WJ (2012): The Functional Landscape of a Presynaptic Terminal. *Cell Calcium*, 52(3-4):321-6. Epub 2012 May 18.

Torres-Benito L, Neher MF, Cano R, Ruiz R, Tabares L (2011) SMN Requirement for Synaptic Vesicle, Active Zone and Microtubule Postnatal Organization in Motor Nerve Terminals. *PLoS ONE* 6(10): e26164. doi:10.1371/journal.pone.0026164

Torres-Benito, L-, Ruiz, R., Tabares, L. Synaptic defects in SMA animal models. *Dev. Neurobiol*. 2011 May 12. doi: 10.1002/dneu.20912.

Ruiz, R., Cano, R., Casañas, J.J., Gaffield, Betz, W.J., Tabares, L. Active Zones and the Readily Releasable Pool of synaptic vesicles at the neuromuscular junction of the mouse. *J. Neurosci*. 31(6): 2000-2008, 2011.

Altered intracellular Ca²⁺ homeostasis in nerve terminals of severe spinal muscular atrophy mice . Ruiz, R., Casañas, J.J., Torres-Benito, L., Cano, R., Tabares, L. *J Neurosci*. 2010 Jan 20;30(3):849-57.

Multiple Functions of the Vesicular Proton Pump in Nerve Terminals. Tabares, L., Betz, W.J. *Neuron* 2010, 68: 1020-22.

Ciliary neurotrophic factor-induced sprouting preserves motor function in a mouse model of mild spinal muscular atrophy. Simon CM, Jablonka S, Ruiz R, Tabares L, Sendtner M. *Hum Mol Genet*. 2009 Mar 15;19(6):973-86. Epub 2009 Dec 18.

Preferred sites of exocytosis and endocytosis colocalize during high- but not lower-frequency stimulation in mouse motor nerve terminals. Gaffield MA, Tabares L, Betz WJ. *J Neurosci*. 2009 Dec 2;29(48):15308-16.

Cysteine string protein- α is essential for the high calcium sensitivity of exocytosis in a vertebrate synapse. Ruiz R, Casañas JJ, Südhof TC, Tabares L. *Eur J Neurosci*. 2008 Jun;27(12):3118-31.

Tabares L, Ruiz R, Linares-Clemente P, Gaffield MA, Alvarez de Toledo G, Fernandez-Chacón R, Betz WJ. Monitoring synaptic function at the neuromuscular junction of a mouse expressing synaptopHluorin. *J Neurosci*. 27(20):5422-30 (2007).

The spatial pattern of exocytosis and post-exocytic mobility of synaptopHluorin in mouse motor nerve terminals. Gaffield MA, Tabares L, Betz WJ. *J Physiol*. 2009 Mar 15;587(Pt 6):1187-200.

Neuroprotective effect of adult hematopoietic stem cells in a mouse model of motoneuron degeneration. Cabanes C, Bonilla S, Tabares L, Martínez S. *Neurobiol Dis*. 2007 May;26(2):408-18. Epub 2007 Feb 6.

Neurobiology of Disease, 26(2):408-18 (2007).

Adult stem cell therapy: dream or reality? Moraleda JM, Blanquer M, Bleda P, Iniesta P, Ruiz F, Bonilla S, Cabanes C, Tabares L, Martínez S. *Transpl Immunol*. 2006 Dec;17(1):74-7. Epub 2006 Oct 16.

Review. CSP α -deficiency causes massive and rapid photoreceptor degeneration. Schmitz F, Tabares L, Khimich D, Strenzke N, de la Villa-Polo P, Castellano-Muñoz M, Bulankina A, Moser T, Fernández-Chacón R, Südhof TC. *Proc Natl Acad Sci U S A*. 2006 Feb 21;103(8):2926-31. Epub 2006 Feb 13.

Patch amperometry: high-resolution measurements of single-vesicle fusion and release. Dernick G, Gong LW, Tabares L,

Alvarez de Toledo G, Lindau M. *Nature Methods*. 2005 Sep;2(9):699-708. Treatment with trkC agonist antibodies delays disease progression in neuromuscular degeneration (nmd) mice. Ruiz R, Lin J, Forgie A, Foletti D, Shelton D, Rosenthal A, Tabares L. *Hum Mol Genet*. 2005 Jul 1;14(13):1825-37. Epub 2005 May 11. The synaptic vesicle protein CSP alpha prevents presynaptic degeneration. Fernández-Chacón R, Wölfel M, Nishimune H, Tabares L, Schmitz F, Castellano-Muñoz M, Rosenmund C, Montesinos ML, Sanes JR, Schneggenburger R, Südhof TC. *Neuron*. 2004 Apr 22;42(2):237-51. Relationship between fusion pore opening and release during mast cell exocytosis studied with patch amperometry. Tabares L, Lindau M, Alvarez de Toledo G. *Biochem Soc Trans*. 2003 Aug;31(Pt 4):837-41. Exocytosis of catecholamine (CA)-containing and CA-free granules in chromaffin cells. Tabares L, Alés E, Lindau M, Alvarez de Toledo G. *J Biol Chem*. 2001 Oct 26;276(43):39974-9. Epub 2001 Aug 27. Free article at journal site. Dopamine induces intracellular Ca²⁺ signals mediated by alpha1B-adrenoceptors in rat pineal cells. Rey E, Hernández-Díaz FJ, Abreu P, Alonso R, Tabares L. *Eur J Pharmacol*. 2001 Oct 26;430(1):9-17. Estrogen modulates alpha(1)/beta-adrenoceptor-induced signaling and melatonin production in female rat pinealocytes. Hernández-Díaz FJ, Sánchez JJ, Abreu P, López-Coviella I, Tabares L, Prieto L, Alonso R. *Neuroendocrinology*. 2001 Feb;73(2):111-22. High calcium concentrations shift the mode of exocytosis to the kiss-and-run mechanism. Alés E, Tabares L, Poyato JM, Valero V, Lindau M, Alvarez de Toledo G. *Nature Cell Biol*. 1999 May;1(1):40-4. Intracellular calcium release mediated by noradrenaline and acetylcholine in mammalian pineal cells. Marín A, Ureña J, Tabares L. *J Pineal Res*. 1996 Aug;21(1):15-28. Chloride channels in the nuclear membrane. Tabares L, Mazzanti M, Clapham DE. *J Membr Biol*. 1991 Jul;123(1):49-54. Properties of calcium and potassium currents of clonal adrenocortical cells. Tabares L, Ureña J, López-Barneo J. *J Gen Physiol*. 1989 Mar;93(3):495-519. Calcium action potentials in cultured adrenocortical cells. Tabares L, López-Barneo J. *Pflugers Arch*. 1986 Aug;407(2):163-5. Effects of membrane depolarization and divalent cations on anaphylactic histamine secretion. Pintado E, Dorado ME, Tabares L, López-Barneo J. *Cell Calcium*. 1986 Apr;7(2):107-14. Potassium channels in adrenocortical and parathyroid cells. Lopez-Barneo J, Tabares L, Castellano A. *Adv Exp Med Biol*. 1986;211:125-37. Calcium- and voltage-activated potassium channels in adrenocortical cell membranes. Tabares L, López-Barneo J, de Miguel C. *Biochim Biophys Acta*. 1985 Mar 28;814(1):96-102. Single channel currents in adrenocortical cells. López-Barneo J, Tabares L, Mir D. *Rev Esp Fisiol*. 1984 Sep;40(3):271-7.